

## 2018 Energy Use Data

### Town of Evans Municipal Buildings over 1,000 square feet

Property Name	Property Address	Property Use(s)	Property Gross Floor Area (GFA) - (ft <sup>2</sup> )	Site Energy Use Intensity (EUI) (kBtu/ft <sup>2</sup> )	Weather Normalized Source EUI (kBtu/ft <sup>2</sup> )	% Difference from National Median Source EUI	Annual GHG Emissions (Metric Tons CO <sub>2</sub> e)	ENERGY STAR Score
Town Hall	8787 Erie Rd, Angola	Office, Police Station, Courthouse	22,430	88.2	157.6	10.1	92.8	42
Drinking Water Treatment and Distribution Building	8752 Delamater Rd (front), Angola	Drinking Water Treatment & Distribution, Office	8,300	62.1	57.8	N/A	27.7	N/A
Highway Garage	8752 Delamater Rd (rear), Angola	Public Services	10,225	128.2	138.3	59	69	N/A
Senior Center	999 Sturgeon Point Rd, Derby	Social/Meeting Hall	8,975	155.4	168.7	49.9	74	N/A
Historical Society	8351 Erie Rd, Angola	Museum	2,080	53.6	69.6	-35.2	5.7	N/A
Municipal Pool	1525 South Creek Rd, Derby	Pool	1,473	71	32.5	-71	6	N/A
Town Park	8965 Lake Shore Rd, Angola	Recreation	3,920	81.2	125.8	10.8	15.7	N/A
Marina	625 Sturgeon Point Rd, Derby	Public Services, Fast-Food Restaurant, Marina Slips	5,320	65.3	184.9	104.7	13.7	N/A

In 2018, the Town of Evans municipal buildings over 1,000 sqft. used 388,590 kWh of electricity, 47,509 ccf of natural gas and emitted 304.6 metric tons of carbon dioxide (MTCO<sub>2</sub>e). The Town also has several solar arrays that generate energy and help reduce energy costs and building related GHG emissions.